



File Name: canon a1200 user manual.pdf

Size: 2969 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 25 May 2019, 15:55 PM

Rating: 4.6/5 from 685 votes.

Status: AVAILABLE

Last checked: 15 Minutes ago!

In order to read or download canon a1200 user manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon a1200 user manual . To get started finding canon a1200 user manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

canon a1200 user manual

If anything is missing, contact the retailer where you purchased the camera. Camera Interface Cable IFC400PCU Getting Started Using the PDF Manuals The following PDF manuals are included in the Readme folder of the CDROM When the software is installed on your computer, the PDF manuals will be copied to the computer and you can refer to them by clicking the shortcuts on the desktop. If there is a problem with the camera while abroad, please return it to the country of sale before proceeding with a warranty claim to a Canon Customer Support Help Desk. For Canon Customer Support contacts, please see the customer support list supplied with your camera. Shoot Shoot, leaving it to the camera to make settings.²³ Just take pictures Easy mode.²⁸ Take good people shots Portraits p. 64 Shoot various other scenes Landscape p. 65 Shoot with special effects Fisheye Effect p. Chapters 4 onward explain the advanced functions, letting you learn more as you read each chapter. Checking the Package Contents.² Read This First.³ What Do You Want to Do.⁴ Table of Contents.⁶ Conventions Used in This Guide.⁹ Additionally, playing the CDROMs in an audio CD player music player could damage the speakers. The latter part of this chapter explains how to shoot and view images in Easy mode, how to shoot and view movies, and how to transfer images to a computer. Some cards may not operate properly depending on the brand of card used. SD, SDHC and SDXC memory cards have a writeprotect tab.Compatible Batteries AA alkaline batteries and Canon AA NiMH batteries sold separately p. 37. Can any other batteries be used. We cannot recommend the use of any other batteries than those listed above because performance varies widely. You can check the number of shots that can be taken when the camera is in a Shooting mode p. 23. Number of shots that can be taken Inserting the Batteries and Memory Card. Since the dates and times recorded into your images are based on these settings, be sure to set them.<http://ural-resysr.ru/data/crazy-fit-massage-manual-espa-ol.xml>

- **canon powershot a1200 user manual pdf, canon powershot a1200 hd user manual, canon a1200 user manual, canon a1200 user manual, canon a1200 user manual.**

What if the clock appears when the m button is pressed. The clock will appear if too much time passes between pressing the m button and the n button in Step 2. If the clock appears, press the m button to remove the clock and repeat Step 2. Formatting initializing a memory card erases all data on the memory card. As you cannot retrieve the erased data, exercise adequate caution before formatting the memory card. Be careful when transferring or disposing of a memory card. When disposing of a memory card, take precautions such as physically destroying the card to prevent personal information leaks. The camera can also detect and focus on faces, setting the color and brightness to optimal levels. The scene icon p. 164 that appears on the screen may not match the actual scene.Switching to Shooting mode Pressing the shutter button halfway, or turning the mode dial in Playback mode switches the camera to Shooting mode. Enter Playback mode. Press the 1 button. The last image you took will appear. Please note that erased images cannot be recovered. Exercise adequate caution before erasing an image. Press the 1 button. The last image you took will appear. Choose an image to erase. This prevents incorrect operation of the camera, allowing even beginners to take worryfree pictures. Remaining Time Enter E mode. Set the mode dial to E. Compose the shot. Moving the zoom lever toward i will zoom in on your subject, making it appear larger. However, movies shot at zoom factors that appear in blue will be coarse. Operation sounds will be recorded. Shooting Time Memory Card Shooting Time. How can I play back movies on a computer.If you are already using software included with another Canonbrand compact digital camera, install the software from the included CDROM, overwriting your current installation.

Transferring Images to a Computer for Viewing Install the Software. Windows Place the CD in the computer's CD ROM drive. Place the supplied CDROM DIGITAL CAMERA Solution Disk
p. <http://ildongwire.com/userfiles/crazy-fit-massage-manual-2010.xml>

2 into the computer's CDROM drive. CameraWindow will appear. Click on the task bar. Double click Transfer and View Images You can transfer images even without using the image transfer function in the included software by simply connecting your camera to a computer. Some accessories are not sold in some regions, or may no longer be available. Power Supplies You can also purchase NiMH Battery NB4300, a set of four rechargeable AA NiMH batteries separately. Battery and Charger Kit CBK4200 can also be used. This product is designed to achieve excellent performance when used with genuine Canon accessories. P Mode Choose settings yourself to take various types of pictures p. 80. Live View Control Mode The brightness and color can be easily set to your preferences for shooting p. Shooting No Information Display Playback No Information Simple Information Display You can also switch the display by pressing the **l** button while the image displays right after shooting. However, the brightness of the image on the screen, and the brightness of the actual image recorded may be different. The menu items are organized under tabs, such as for shooting 4 and playback 1. Change the volume. Press the **op** buttons to choose an item, then press the **qr** buttons to adjust the volume. Move the zoom lever to choose the 3 tab. Adjust the brightness. Press the **qr** buttons to adjust the brightness. Power Saving during Shooting The screen will turn off approximately 1 minute after you stop operating the camera. This chapter assumes that the camera is set to A mode. What if a flashing When you press the shutter button halfway in low light conditions where camera shake is likely, a flashing tripod to prevent it from moving. Press the **r** button. However, depending on the recording pixel setting p. 61 and zoom factor, the images may appear coarse the zoom factor will appear in blue. Once inserted, however, they cannot be deleted. Be sure to check beforehand that the date and time are correctly set p. 18.

Display the menu. If you choose, you cannot use the digital zoom p. 55 or digital tele converter p. 56. Changing the Compression Ratio Image Quality You can choose from the following 2 compression ratios image quality Fine, Normal. Enter K mode. Set the mode dial to K. Choose a Shooting mode. After pressing the **m** button, press the **op** buttons to choose Press the **qr** buttons to choose a Shooting mode, then press the **m** button. Move approximately 1 m 3.3 ft. or more away from your subject and shoot. You can adjust the brightness of the image. The more to the right, the Brightness brighter the image gets, the more to the left, the darker the image gets. Use this mode in areas where camera sounds, lights and flash are not permitted. When the camera is set to in Playback mode. Operation sounds will be muted, and audio will not play back when viewing movies. Adding Effects and Shooting Creative Filters Shoot images with vivid colors Super Vivid Lets you take shots with vivid, intense colors. Standard Images will look like they were shot with a toy camera. Lets you shoot black and white images. Sepia Lets you shoot sepia toned images. Blue Lets you shoot blue and white images. What if a smile is not detected. Smiles are easier to detect if the subject faces the camera, and opens their mouth enough to show some teeth when smiling. The camera will shoot approximately two seconds after it detects a wink. Changing the number of shots in Step 1, press the **op** buttons. Changing the number of shots in Step 1, press the **op** buttons. Shooting Long Exposures You can set the shutter speed to a range between 1 and 15 seconds to shoot long exposures. However, you should attach the camera to a tripod to prevent the camera from moving and blurring the image. AE stands for Auto Exposure. Automatically sets the optimal white balance for the shooting Auto conditions. Day Light For shooting outdoors, in fine weather conditions. Cloudy For shooting in cloudy, shady or twilight conditions.

For shooting outdoors, in fine weather conditions. For shooting in cloudy, or twilight conditions. High For shooting nightscapes, or in dark interiors. Also, when the overall image is lacking in contrast, the camera will automatically correct the image for a sharper impression when shooting.

My Colors Off Vivid Emphasizes the contrast and color saturation for a vivid impression. Neutral Tones down the contrast and color saturation for neutral hues. The edges of the image may darken if the flash fires. This is effective for focusing on a specific point. After locking the focus, the focal distance will not change even when you release your finger from the shutter button. Lock the focus. Keep the shutter button pressed halfway and press the **q** button. The focus locks and **%** appears on the screen. Enter Face Select mode. Point the camera toward the face of the subject and press the **0** button. For standard shooting conditions, including back lit shots. Evaluative Automatically adjusts the exposure to match the shooting conditions. Center Averages the light metered from the entire frame, but gives greater Weighted Avg. AE stands for "Auto Exposure". Shooting with the FE Lock Just as with the AE lock, you can lock the exposure for shooting with the flash. FE stands for "Flash Exposure". At the same time, you can use a slow shutter speed to brighten the background that the light from the flash cannot reach. Redeye correction may be applied to areas other than red eyes. Shooting procedures are the same as when using the screen. The camera will automatically focus on subjects, but it will not detect and focus on faces. E Standard Miniature Effect Shoot Movies That Look Like a Miniature Model Miniature Effect You can shoot movies that look like moving miniature models. You create the miniature model effect by choosing the upper and lower portions of the scene that will be blurred, and the playback speed, which makes people and objects in the scene move quickly during playback.

The exposure shift bar appears. Some functions, however, may not be available depending on the Shooting mode. Refer to "Functions Available in Each Shooting Mode" and "Shooting Menu" pp. The movie editing panel and the movie editing bar will appear. Searching Images by Scrolling Pressing the **qr** buttons for more than 1 second will display images in a line letting you quickly search them. Position of currently displayed image Jump to Favorites Jump 10 Images Jump 100 Images Jump Shot Date —. If you press the **qr** buttons during playback, the image will switch. The focus check display is not available for movies. Press the **l** button to switch to the focus check display p. 43. For images with detected faces, you can also switch to the focus check display by pressing the **0** button. Displaying Various Images Smart Shuffle The camera will choose four images based on the displayed image. If you choose one of those images, the camera will select four more images letting you enjoy playing back images in an unexpected order. White or black Yellow Yellow Black What if the images don't display correctly on the TV. Protected images cannot be erased with the camera's erase function. To erase an image, cancel protection settings first. Select Range Protect the image. If you press the **n** button, a confirmation screen will appear. Choose an ending image. Since erased images cannot be recovered, exercise adequate caution before erasing. Protected images p. 117 cannot be erased. If you press the **n** button, a confirmation screen will appear. You can also filter out just those images for viewing p. 111. If you switch to Shooting mode or turn off the power before completing the setting in Step 3, images will not be tagged as favorites. Also, when the overall image is lacking in contrast, the camera will automatically correct the image for a sharper impression. Canon Brand PictBridge Compliant Printers This chapter uses Canon brand SELPHY CP series printers in the explanations.

The displayed screens and available functions will differ depending on the printer. Please also refer to the Printer User Guide. Connect the camera to the printer. Open the cover and insert the cable's small plug firmly into the camera terminal in the direction shown. Choose an image. Press the **qr** buttons to choose an image, then press the **m** button. Connect the camera to the printer. Choose a paper size. Press the **op** buttons to choose an option, then press the **m** button. Prints with a border. Prints without a border. Choose how many copies of an image are printed on a sheet. Prints ID photos. Only images with the same resolution as the camera's Large recording pixel setting can be chosen. Connect the camera to the printer. These selection methods comply with the DPOF Digital Print Order Format standards. These settings will be overwritten with those set by your camera. Choose images. Follow Steps 2 and 3 on p. 118 to choose images. The first part of this chapter

explains convenient and commonly used functions. The latter part explains how to change shooting and playback settings to suit your purposes. As you cannot retrieve the erased data, exercise adequate caution before formatting the memory card. Registering Recorded Images as the Startup Screen When you press the 1 button and set the camera to Playback mode, you can register an image. Refer to the Software Guide for details. Changing the Lens Retract Time For safety reasons, the lens retracts about 1 minute after pressing the 1 button when in a Shooting mode p. Using the World Clock When traveling abroad, you can record images with local dates and times simply by switching the time zone setting. Set the world time zone. Press the qr buttons to choose the world time zone. Changing the Way the Image Displays Right After Shooting You can change the way the image displays right after shooting. Open the cover and remove the AA batteries p. Do not unplug the plug or power cord with the camera turned on.

This could erase images you have taken or damage the camera. If the items below do not solve your problem, contact a Canon Customer Support Help Desk as listed on the included customer support list. Power You pressed the power button, but nothing happened. Subject Moving Background Bright Backlit Including Blue Skies Backlit. Sound Options Set the sounds for each camera operation. Startup Image Add an image as a startup image. Format Formats memory card, erasing all data File Numbering. Slideshow Plays back images automatically. Erase Erases images Select, Select Range, All Images. Protect Protects images Select, Select Range, All Images. Rotate Rotates images. Favorites Tags or untags images as favorites. My Category Categorizes images Select, Select Range. You may download and use the Content solely for your personal, noncommercial use and at your own risks. Canon shall not be held liable for any damages whatsoever in connection with the Content, including, without limitation, indirect, consequential, exemplary or incidental damages. You shall also not and shall not let others reproduce, modify, reformat or create derivative works from the Content, in whole or in part. Canon PowerShot A1200 equipped with a 12.1 MP high resolution CCD sensor captures every detail in your subject, the 4x 28112mm wideangle optical zoom lens gets you close to the action quickly. The DIGIC 4 processor drives responsive operation, superb image quality and color reproduction. The PowerShot A1200 features Smart Auto function intelligently selects the proper settings for the camera based on 32 predefined shooting situations, so you can take great photos with the press of a button. Other highlights include 2.7inch LCD screen, Optical Viewfinder, 720p HD video recording, Easy mode, Face Detection, Auto RedEye Correction, Creative Filters and powered by AA batteries. This page requires Javascript. Modify your browsers settings to allow Javascript to execute.

See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file. Access your account, or create a new account, click here to get started. Recommended Software File Name Date File Size Optional Software File Name Date File Size Recommended Manuals File Name Date File Size Optional Manuals File Name Date File Size The Product purchased with this limited warranty is the only PowerShot Digital Camera to which this limited warranty applies. Warranty exchange or replacement does not extend the original warranty period of the Product. The sole warranty, if any, with the respect to such nonCanon brand items is given by the manufacturer or producer thereof. This limited warranty covers all defects encountered in normal use of the Products, and does not apply in the following cases A Canon Customer Care representative will attempt to diagnose the nature of the problem and correct it over the telephone. If the problem cannot be corrected over the telephone, you will be asked to follow the applicable procedures for MAILIN SERVICE. Note that a dated proof of purchase is required at the time of service. MAILIN SERVICE is a program under which your Product is repaired by a Canon U.S.A. or a Canon Canada authorized service center for the Product. You will be given the name, address and phone number of an authorized service center. It is your responsibility to properly package and send the defective Product, together with a copy of your dated proof of purchase, a complete explanation of the problem and a return address to the authorized service center at your expense. Do not include

any other items with the defective Product. The Product covered by this limited warranty and proven to be defective upon inspection will be repaired and returned to you without charge by the authorized service center.

Any Product received by the authorized service center that is not covered by the limited warranty will be returned unrepaired, or at the discretion of the authorized service center, you may receive a written estimate of repair at such cost as the service center may establish from time to time. Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store Provides uninterrupted power for shooting or downloading. Effectively doubles the flash range of the camera. Comes with mounting bracket. The cable connects to your camera and to the USB port on your PC or MAC Computer. Comes standard with the EOS 1Ds Mark III, 1D Mark IV, 1D Mark III, 1Ds Mark II, 1D Mark II N, 1D Mark II, 5D Mark II, 7D, 5D, 50D, 40D, 30D, 20D, 10D, Digital Rebel XTi, Digital Rebel XT and Digital Rebel. Please see Compatibility tab for compatible models. AA Alkaline Batteries Camera x2 Interface Cable Wrist Strap IFC400PCU WS800 Getting Started DIGITAL CAMERA Warranty Solution Disk Card Using the PDF Manuals The following PDF manuals are included in the Readme folder of the CDROM When the software is installed on your computer, the PDF manuals will be copied to the Please note that Canon Inc., its subsidiaries and affiliates, and its distributors are not liable for any consequential damages arising from any malfunction of a camera or accessory, including memory cards, that results in the failure of an image to be recorded or to be recorded in a way that is machine readable. Warning Against Copyright Infringement ThView Look at my pictures.26 1 Easy playback Easy Mode.28 Automatically play back pictures slideshow.112 Look at my pictures on a TV.116 Look at my pictures on a computer.32 Quickly search pictures.Checking the Package Contents.2 Changing the Sound Settings. 47 Read This First.3 Adjusting the Screen Brightness. 49 What Do You Want to Do.4 Returning the Camera to Default Settings.Denotes the possibility of injury.

The latter part of this chapter explains how to shoot and view images in Easy mode, how to shoot and view movies, and how to transfer images to a computer. Depending on your computer's OS version, SDXC memory cards may not be recognized even when using a commercially available card reader. Insert the memory card. Insert the memory card as shown until it locks into place with a click. Be sure the memory card is oriented correctly. Inserting the memory card in the wrong direction could damage the camera. Label Close the cover. Close the cover , and press downward as you slide it until it clicks into place . Turn on the camera. Press the power button. Set the date and time. Press the qr buttons to choose an option. Press the op buttons to set a value. Complete the setting. Move the zoom lever to choose the 3 tab. Change the date and time. Follow Steps 2 and 3 on p. 18 to adjust the setting. Press the n button to close the menu. Enter Playback mode. Press the 1 button. Display the settings screen. Press and hold the m button, then immediately press the n button. Set the display language. Press the opqr buttons to choose a language, then press the m button. Once the display language has been set, the settings screen will close. What if the clock appears when the m button is pressed. The clock will appear if too much time passes b. View and Download Canon PowerShot A1200 user manual online. Canon Digital Camera User Manual. More details about Canon PowerShot ELPH310HS. Canon PowerShot manual is the very first place you might wanna start in order to. PowerShot A1200 The Canon PowerShot A is a series of digital cameras released by Canon. Reload to refresh your session. Reload to refresh your session. Please check your inbox, and if you can't find it, check your spam folder to make sure it didn't end up there. Please also check your spam folder. Fiery System 9 R2 supports similar workflows for Windows 7 and Mac OS X 10.

6, and features like RIPWhile Receive provide robust processing and printing performance. EFI Fiery image PRESS Servers feature powerful job control tools that produce more work in less time to help you meet tight deadlines and achieve optimal productivity. Canon Powershot A1200 Instruction

Manual Canon PowerShot A2200 PDF User Manual, User Guide, Instructions, Canon Canon PowerShot A1200 Camera User Manual, Instruction Manual, User Guide. Online Preview. Canon PowerShot SX530 HS PDF manual download. Anticounterfeit Brochure, Instruction Manual for Macintosh. Canon PowerShot PowerShot Cameras Canon PowerShot A1200 Silver Anticounterfeit Brochure. Canon. Canon PowerShot A1200 PDF User Manual, User Guide, Instructions Download, Canon PowerShot A1200 Owners Manual View Online. Settings for example set the a canon 70 2 lens attached too important but easily. Canon PowerShot A1200 PDF User Manual, User Guide, Instructions, Canon PowerShot A1200 Owners Manual Download, View Online. At present the manual 120 directory canon submission is counted as instructions 120 canon on editing PDF manual files. Canon powershot a1200 manual. You can Canon EOS 20Da Instruction Manual 132 pages. Gorgeous canon sent a this canon powershot sd880 is 10mp subscribe prime cameras. Ikelite Compact Housing for Canon PowerShot S95 Digital Camera 1 x Wrist Lanyard, 1 x O Ring, 1 x Silicone O Ring Lubricant, 1 x Instruction Manual. PowerShot A630 not only boasts showstopping 8.0 megapixel resolution, but is packed with a full range of high performance features previously found only. Canon PowerShot ELPH 340 HS I push record, red record light comes on, counter ti. Canon PowerShot G12 Manual Online Turning The Flash On, Shooting Canon EOS 20Da Instruction Manual 132 pages Canon PowerShot A1200. Canon powershot sd600 owners manual help instruction manual guide hunter man maverick mega strategy x guide Manual motorola a1200espa ol.

Download drivers, software, firmware and manuals for your Canon product and get access to online technical support resources and troubleshooting. You may find documents other than just We keep our list of direct Canon PowerShot A1200 driver and firmware links up to date so they are easy to find when you need them. Finished book size is A5 148 x 210mm. 184 pages long. Our reprints are high quality, printed on 80gsm superwhite Canon paper on a Canon office copier. The pages are then spiral bound with a clear acetate front cover and red card back cover, held together with a strong white wire. Your manual will lay flat when open and will last for as long as your camera, with a little bit of care. Manuals over 400 pages long may be supplied as more than one book. The manual is automatically downloaded on the desktop or in the file downloads of your computer. The same way is also possible if you prefer to search by choosing the menu Brands. To view the documents, you must have Adobe Reader installed on your computer. To download free the most recent version of this software click here. There is a watermark displayed on each page though, and resaving or copying portions of the manual does require a password. Some examples are HighPower Flash HFDC1 AC Adapter Kit ACK800, which consists of Compact Power Adapter CAPS800, DC Coupler and Power Cord. This allows you to use household electrical power source if you intend to use the A1200 for an extended period of time. Note that this kit cannot be used to charge a battery in the camera. CBK4300 Rechargeable Battery and Charger Kit, which includes Battery Charger CB5AH and four NB3AH rechargeable NiMH nickel metal hydride batteries. The A1200 manual recommends purchasing Canon CBK4200 Rechargeable Battery and Charger Kit and Canon NB4300 Battery Pack if you're looking for alternatives. Digital Photography Secrets — Starts off with a free ecourse on the basics of great photography. All types of.

See more Have you noticed, we are over 100 members strong. What a great tes. Just a quick note to let you all know Ive started the same grou. Just bought A new powershot A1400. Steve Going through few tutorials I understand, going manual is the key to learn photography without relying on the auto modes. So i figured out how to tweak the ISO in A1200. Also if we have the CHDK comes with an update for this soon, can we get manual options to shoot or its just provides the RAW format to shoot. Thanks in advance! As with anything, the best way to understand it is to get out there and play around with it. You cant break it. For my first couple of weeks with the A1200 I took exactly the same photo over and over again at every possible setting, then when I looked at the results on the computer I could see exactly what those settings actually did. I learnt much more from this than I

would have from any tutorial. And remember that there's no right way or wrong way. Anything that gets you the shot you want is right. Now for the technical stuff. There is no direct manual control of aperture on the A1200. But remember that the only creative reason for wanting aperture control is to manipulate depth of field. For example, to use a wide aperture for a portrait to make sure the background is slightly out of focus. Now, depth of field increases as the focal length of the lens decreases. The focal length of the A1200 lens varies from 5mm at wide angle to 20mm at full zoom, and these focal lengths are so short that it would be very hard to get any interesting depth of field effects even if you did have manual aperture control. There are some great examples in the A1200 pool though. Anyway, don't worry about not having manual aperture control. It's pretty much irrelevant at the focal lengths the A1200 uses. Manual control of shutter speed would be much more useful.

When you're taking photos of your kids running around at full blast, it would be nice to know that your shutter speed is fast enough to freeze the action. You can force a faster shutter speed by using a higher ISO setting, but I need to be careful here, so I'm going to shout **ISO SETTING IS NOT AN EXPOSURE CONTROL**. Increasing the ISO setting makes the camera's sensor more sensitive to light, at the cost of a lower quality, noisier, image. This means that the camera can set a higher shutter speed, allowing you to shoot handheld in lower light when you don't want to use flash, but you always pay a price in higher noise and lower image quality. Please, please, please, don't get into the habit of changing the ISO setting when you're outside in daylight thinking that it's some kind of exposure control. It just isn't. You might set a high ISO sometimes if you deliberately want a gritty, grainy documentary feel. But that's a creative effect rather than an exposure control. So what manual exposure controls do you get on the A1200. Take a test shot and look at it on the LCD screen, and if it looks too light or dark you can tweak the setting and try again. But remember that this setting is retained even when you turn the camera off, so make sure you set it back to zero when you've finished. Plus some other useful controls. Whether these controls are really changing the physical aperture and shutter speed, or just tweaking things electronically, is a question that I can't answer. But they seem to work pretty well in the real world. So you've got enough manual control over exposure to cover most situations, and a heck of a lot for such a budget camera. One automatic setting on the A1200, or any other digital camera, that you should switch off immediately is auto white balance. Auto white balance is designed to try to make every photo look like it was shot at noon on a sunny day, which is useless for the 99% of the time when it's not sunny and it's not noon.